AMENDMENTS TO THE CLAIMS

- (Currently Amended) A set of stored instructions <u>embodied on a medium</u> that, when read by a programmable processor, results in the processor performing a process, the process comprising:
 - collecting storing meta data information describing media files available for experiencing by a user using on a host of the process*-host;
 - receiving over the WAN a connection from a process executing at a remote client

 process and a request for at least some of the stored meta data information;
 - communicating to the remote client process the requested meta data information and an identifier for <u>each uniquely identifying a</u> media file described by the requested meta data information, the identifier uniquely identifying the media file:
 - receiving from the remote client process a request to transfer <u>a</u> the media file <u>selected by the user at the remote client</u>, the request including the identifier of the selected media file; and
 - transmitting the requested media file to the remote client media player as a stream, so that the user is able to select from the media files available to the user at the host one or more media files to be experienced by the user at the remote client.
- (Original) The set of stored instructions of claim 1, wherein the identifier is a uniform resource identifier.
- (Currently Amended) The set of stored instructions of claim 1, wherein the
 process further comprises communicating to a remote server a wide area network
 (WAN) address to be used to connect to the process over the WAN.
- (Currently Amended) The set of stored instructions of claim 3, wherein the
 process further comprises determining whether a connection can be established

with the process via the is able to receive connections from a wide area network (WAN).

- (Currently Amended) The set of stored instructions of claim 1, wherein the
 process further comprises configuring a network address translation (NAT) router
 to enable the process to receive <u>communications</u> connections from the <u>a wide area</u>
 network (WAN).
- 6. (Currently Amended) The set of stored instructions of claim 1, wherein the process runs on a host device connected to a local area network and further comprises automatically discovering other instances of the process running on other host devices connected to the process host, the other host devices having media files available for experiencing by the user-connects to the other instances of the process.
- (Original) The set of stored instructions of claim 6, wherein the process reports to
 the remote server information on the other instances of the process discovered by
 the process.
- (Currently Amended) The set of stored instructions of claim 6, wherein the other
 instances of the process have associated client processes, and wherein the process
 receives a request from the remote client process to transmit a media file as a
 stream to one of the other an instance of a local client processes, running on the
 same local area network.
- (Currently Amended) The set of stored instructions of claim 1, wherein the
 process further comprises searching the local host for media files and storing meta
 data describing the located media files.

12

- 10. (Currently Amended) The set of stored instructions of claim 9, wherein the process searches media further comprises searching devices connected with the local host for media files.
- 11. (Currently Amended) The set of stored instructions of claim 1, wherein the process transmits is limited to transmitting one stream at a time.
- (Currently Amended) A set of stored instructions embodied on a medium that, when read by a programmable processor, results in the processor performing a process at a local host, the process comprising: connecting over a wide area network (WAN) to a central server; authenticating with the central server using an identifier;
 - obtaining from the central server a WAN address for an agent processes associated with the identifier;
 - connecting to an the agent process executing at a remote host at the WAN address:
 - receiving from the agent process information and an identifier for each uniquely identifying on the WAN a media file available for streaming experiencing by a user using the remote host, the identifier uniquely identifying the media file;
 - receiving at least one media file selection by a user using the information received from the agent process:
 - transmitting to the agent process a passing to a media player a unique identifier for the media file, which permits the media player to request for transmission of the media file selection as a stream, the identifier including the WAN address for the agent process so that the user is able to select from the media files available to the user at the remote host one or more media files to be experienced by the user at the local host.

- (Original) The set of stored instructions of claim 12, wherein the unique identifier comprises is comprised of a uniform resource identifier (URI).
- 14. (Original) The set of stored instructions of claim 12, wherein the process further comprises <u>transmitting a request requesting the agent process</u> for information describing media files available for streaming to the client process.
- 15. (Currently Amended) A set of stored instructions embodied on a medium that, when read by a programmable processor, results in the processor performing a process, the process comprising:
 - receiving a first communication eonnection over a wide area network (WAN), the

 first communication including connection information to connect to from
 a first process via a proxy server on the WAN;
 - receiving a second <u>communication</u> eonnection from a second process, the second communication including the connection information for the first process and requesting <u>meta data information collected by</u> eonnection to the first process:
 - forwarding the second communication including the connection information

 packets received from the second process over the second connection to
 the first process connecting to a via the proxy server on the WAN.
- 16. (Currently Amended) The set of stored instructions of claim 15, wherein the connection information comprises first-connection is identified with a unique identifier for use by the proxy server to identify the first process, and wherein the proxy server uses the unique identifier included in the second communication connection to forward the second communication to the first process, identifies the first connection by the identifier.

- 17. (Currently Amended) The set of stored instructions of claim 15, wherein the packets are communicating another communication from the second process includes a request for a streamed media file, the process further comprises: receiving the streamed media file from the first process; and forwarding the streamed media file to the second process.
- 18. (New) The set of stored instructions of claim 12, wherein the process further comprises: connecting over a wide area network (WAN) to a central server; authenticating with the central server using an identifier associated with the agent process;
 - obtaining from the central server a WAN address for the agent process; and connecting to the agent process using the WAN address.